

Cordless Convenience. Uncompromising Power.

The Ingersoll Rand IQ^v Series[™] tools offer versatile performance, cordless convenience and rugged durability in compact packages with class-leading ergonomics—key benefits in the automotive services and MRO markets.

Accessibility:

The compact, cordless design of every IQ^V Series[™] tool makes accessing tight spaces easier.

Comfort:

Lightweight design and small handles help minimize fatigue, making tools more ergonomic and comfortable to hold.

Durability:

Chemical- and impact-resistant housings withstand tough environments and repeated drops, while protecting interior components.























Choose Your Power.

The IQ^{v12} Series^M of 12-volt tools combine lighter weight and smaller sizes with ergonomic design to make accessing difficult areas easier and to minimize operator fatigue. The Ingersoll Rand IQ^{v20} Series^M of 20-volt tools deliver hard-hitting, long-lasting power, with the uncompromising ability to stand up to the all day, every day demands of professionals. IQ^v Series^M tools **Do the Job, Do it Fast, Do it Every Time.**



Ingersoll Rand's BC1121 lithium-ion universal charger gets all of the batteries in our IQ^{V12} and IQ^{V20} Series^{**} lineup charged and ready to go whenever you are. Whether it's our 20V or 12V batteries, this innovative, multi-use battery charger will make it easier and faster to have a freshly charged battery to get your work done now, not later.

^{*}For use with any of our IQ^{V12} and IQ^{V20} Lithium-Ion Batteries, BL2022, BL2010, BL2012, BL2005 and BL1203.

IQ^{V12} *Series*[™] Impact Wrench

W1110 1/4", W1120 1/4", W1130 3/8"

Tuned impact mechanism and all-metal drivetrain deliver 100 ft-lb of torque and durable performance

Bright white LED casts light on the work piece

Patent-pending softmount system reduces vibration for extended motor and switch life

2.0 Ah Li-Ion battery with fuel gauge for battery charge visibility, so you can better prepare to get more work done

Impact- and chemicalresistant housing protects against repeated six foot drops onto concrete and exposure to shop fluids

3-point rubber pads protect tool and work surfaces

Ergonomically designed small-handle grip helps reduce operator fatigue during extended use

Ideal for:



General automotive repair





Heavy equipment

IQ ^{V12} Serie	Q ^{V12} <i>Series</i> ™ Impact Wrench								
					No-Load		Tool & Battery		
Model	Battery	Voltage DC	Drive Size, Type	Impacts per Minute	Speed rpm	MAX Torque ft-lb (Nm)	Weight lb (kg)	Length in (mm)	
W1110	BL1203	12	1/4" Hex, Quick Change	3,300	0-2,700	100 (135)	2.32 (1.05)	5.9 (150)	
W1120	BL1203	12	1/4", Square	3,300	0-2,700	100 (135)	2.30 (1.03)	5.9 (150)	
W1130	BL1203	12	3/8", Square	3,300	0-2,700	100 (135)	2.30 (1.04)	5.9 (150)	



Model	Description
W1110-K2	1/4" Drive Quick Change Impact Wrench, Charger & 2 Li-ion Batteries
W1120-K2	1/4" Drive Impact Wrench, Charger & 2 Li-ion Batteries
W1130-K2	3/8" Drive Impact Wrench, Charger & 2 Li-ion Batteries

IQ^{V12} *Series*[™] Ratchet Wrench

R1120 1/4" and R1130 3/8"

Compact, durable motor and all-metal drivetrain

deliver up to 30 ft-lb of torque and allow additional manual torquing capability



Bright white LED casts light on the work piece

Feather-touch variable speed paddle trigger allows different grip techniques for easier access 2.0 Ah Li-lon battery with fuel gauge for battery charge visibility, so you can better prepare to get more work done

Ideal for:







Collision



IQ^{V12} *Series*[™] Ratchet Wrench Tool & Battery Voltage DC MAX Torque Battery R1120 BL1203 1/4", Square 0-260 30 (40) 2.15 (0.98) 11.03 (280) R1130 BL1203 12 3/8", Square 0-260 30 (40) 2.15 (0.98) 11.03 (280)



Model	Description
R1120-K1	1/4" Drive Ratchet, Charger & 1 Li-ion Battery
R1130-K1	3/8" Drive Ratchet, Charger & 1 Li-ion Battery

IQ^{V12} *Series*[™] **Drill/Driver**

D1130 3/8"

15-position clutch maximizes fastening control


Impact- and chemical-resistant housing protects against repeated 6-foot drops onto concrete and exposure to shop fluids



Bright white LED casts light on the work piece

Patent-pending softmount system reduces vibration for extended motor and switch life

2.0 Ah Li-Ion battery with fuel gauge for battery charge visibility, so you can better prepare to get more work done



Ergonomically designed small-handle grip helps reduce operator fatigue during extended use

Ideal for:









IQ ^{V12} Series™	Drill/Driver							
			No-Load Speed Tool & Battery					Battery
Model	Battery	Voltage DC	Drive Size, Type	High	Low	MAX Torque in-lb (Nm)	Weight lb (kg)	Length in (mm)
D1130	BL1203	12	3/8", Chuck	0-1,600	0-400	205 (23)	2.43 (1.1)	7.48 (190)



Available in Kits

Model	Description
D1130-K2	3/8" Drive Drill/Driver, Charger & 2 Li-ion Batteries

10v12 Series

IQ^{V12} *Series*[™] Screwdriver

15-position clutch maximizes fastening control

One-handed, recessed, quick-change drive for ease of use and improved access

Bright white LED casts light on the work piece

Patent-pending softmount system reduces vibration for extended motor and switch life

2.0 Ah Li-Ion battery with fuel gauge for battery charge visibility, so you can better prepare to get more work done

Ideal for:







Collision repair



Best-in-class length, only 5.1" from tip to tail

3-point rubber pads protect tool and work surfaces

Impact- and chemicalresistant housing protects against repeated six foot drops onto concrete and exposure to shop fluids

Ergonomically designed small-handle grip helps reduce
operator fatigue during
extended use

IQ^{V12} Series™ Screwdriver No-Load Speed rpm Tool & Battery Model Battery Drive Size, Type High Low in-lb (Nm) MAX Torque in-lb (Nm) Weight lb (kg) Length in (mm) D1410 BL1203 12 1/4" Hex Quick Change 0-1,600 0-400 205 (23) 2.09 (0.95) 5.12 (130)



Available in Kits

Model	Description
D1410-K2	1/4" Drive Quick Change Screwdriver, Charger & 2 Li-ion Batteries

10^{v12} Series

IQ^{V12} *Series*[™] **Reciprocating Saw**

Adjustable guide gives you total control to use a longer blade for complex scrolling and circular cuts or a shorter blade for precise straight cuts

Lightweight, low vibration design cuts sheet metal and
other materials comfortably,
with less noise than an air saw

Geared and in continuous motion for heavier loads and slower speeds, significantly reducing stalling

2.0 Ah Li-Ion
battery with fuel
gauge for battery
charge visibility, so you
can better prepare to
get more work done



Inline, low-profile design makes accurate cuts in the tightest spaces

Powerful 3,300 SPM runs through fenders, body panels and other metal surfaces in a hurry Tough composite housing and patented steelreinforced frame protects against fluids, chemicals and repeated drops **Soft touch over-molded grip** minimizes vibration, reduces fatigue and enhances user comfort during extended use

Ideal for:



General automotive repair



Collisio



IQ ^{V12} Series	IQ ^{V12} <i>Series</i> ™ Reciprocating Saw							
							Tool &	Battery
Model	Battery	Voltage DC	Strokes per Minute	Strokes Length in (mm)	Vibration m/s², K	Sound db(A)	Weight lb (kg)	Length in (mm)
C1101	BL1203	12	3,300	0.55 (14)	17.9/7.8	77	2.14 (0.97)	11.7 (298)



C1101-K2

Model	Description
C1101-K2	Reciprocating Saw, Charger, 2 Li-ion Batteries, Blade Kit
Accessory Kit	
P4EV-6	6 4"/14-18 Variable Saw Blade Kit

IQ^{V12} *Series*[™] Polisher/Sander



IQ ^{V12} Serie	es™ Polisher/9	Sander								
No-Load Speed rpm Soi							Sound	Tool & Bat	ttery	
Model	Battery	Voltage DC	High	Low	Sanding Disc Diameter	Polishing Disc Diameter	Vibration m/s2, K	Pressure dB(A)	Weight lb (kg)	Length in (mm)
G1621	BL1203	12	7,600	2,200	2" and 3"	3"	3.0/0.8	67	2.49 (1.28)	5.7 (144)



repair

G1621-K2

Available in Kits

Item No.	Kit Details
G1621	Tool, Accessory Kit
G1621-K2	2 Li-ion Batteries, Tool, Charger, Accessory Kit

Accessory Kit

G1000-KIT-PAD 2 Foam Pads, 1 Wool Pad, 3"& 2" Sanding Backing Pads, 3" Hook & Loop Polishing Backing Pad

IQ^{V12} *Series*[™] **Belt Sander**

Powerful 6,600 — RPM and variablespeed lever gets you through jobs fast and in control

3/8" X 13" narrowwidth belt, 8-position adjustable belt arm and hose-free design gets in and around the tightest spots

Patent-pending softmount system reduces vibration for extended motor and switch life

2.0 Ah Li-Ion battery with fuel gauge for battery charge visibility, so you can better prepare to get more work done

Ideal for:



General automotive repair



Collision



Heavy equipment

Lightweight, low vibration design with a total weight of only 2 lbs., Including the battery

Quick-change lock and release makes switching belts easy

Tough composite housing and patented steelreinforced frame protects against fluids, chemicals and repeated drops

Ergonomic rubber grip reduces fatigue and enhances user comfort during extended use



8-position adjustable belt arm to maneuver around tight spots.

IQ ^{V12} Seri	<i>ies</i> ™ Belt Sande	r							
							Sound	Tool & I	Battery
Model	Battery	Voltage DC	Arbor Speed rpm	Belt Speed sfpm	Belt Size in (mm)	Vibration in-lb (Nm)	Pressure db (A)	Weight lb (kg)	Length in (mm)
G1811	BL1203	12	7,000	1,730	3/8 x 13 (10x330)	3.0/0.8	67	2.23 (1.01)	8.4 (212)



Available in Kits

Item No.	Kit Details
G1811	Tool, Belt Kit
G1811-K2	2 Li-ion Batteries, Tool, Charger, Belt Kit

O^{V12}Series

Accessory Kit		
G1811-KIT-BELT	3 60-Grit & 3 80-Grit Belts	

IQ^{V12} *Series*[™] **LED** Task Light



IQ ^{V12} Series [™] LED Task Light							
					Tool &	Battery	
Model	Battery*	Voltage DC	Light Output Lumens	Runtime Hours	Weight lb (kg)	Length in (mm)	
L1110	BL1203	12	180	6.5	1.28 (0.58)	3.54 (0.90)	

^{*} Battery not included, available separately.

IQ^{V20} *Series*[™] Impact Wrench

W7152 & W7252 1/2"

Tuned impact mechanism -

delivers 1500 ft-lb nut-busting torque and 1000 ft-lb of MAX torque from a tool that measures just 8.1" from tip to tail and weighs only 7.6 lbs.

Shadowless 360 degree LED light ring

with task light mode and 4 dimmable settings

All-metal drivetrain and

hammer mechanism is robust, durable and optimized for maximum power and efficiency

Variable-speed switch with electronic brake

provides maximum control of the tool and increases safety—release trigger, drive stops spinning

Tough composite housing and patented — **steel-reinforced frame** protects against aggressive fluids, chemicals and repeated drops

Ideal for:







Heavy equipment repair



Genera

Powerful brushless motor delivers durability and efficiency as well as best-in-class power-to-weight ratio

IQ* Power Control System includes 4 modes —full power, half power, wrench tight, and hand tight so there is no need to switch tools





*Requires	5.0	Ah	battery	for	maximum	performance
-----------	-----	----	---------	-----	---------	-------------

IQ ^{V20} Series	™ Impact Wre	nch							
Model	Battery	Voltage DC	Drive Size, Type	Impacts per Minute	Free Speed rpm	Nut-Busting Torque ft-lb (Nm)	MAX Torque ft-lb (Nm)	<u>Tool 8</u> Weight Ib (kg)	& Battery Length in (mm)
W7152	BL2022	20V	1/2", Socket Retaining Ring	2450	0 -1900	1500 (2033)	1000 (1360)	7.6 (3.4)	8.1 (207)
W7152P	BL2022	20V	1/2", Socket Retaining Ring	2450	0 -1900	1500 (2033)	1000 (1360)	7.6 (3.4)	8.1 (207)
W7252	BL2022	20V	1/2", Socket Retaining Ring	2450	0-1900	1500 (2033)	1000 (1360)	7.9 (3.6)	10.1 (257)



W7152-K22

Item No.	Kit Details
W7152-K12	1 BL2022 Battery, Tool, Charger, Bag
W7152-K22	2 BL2022 Battery, Tool, Charger, Bag
W7152P-K22	2 BL2022 Battery, Tool, Charger, Bag
W7252-K22	2 BL2022 Battery, Tool, Charger, Bag

IQ^{V20} *Series*[™] **Impact Wrench**

W5132 3/8" & W5152 1/2"

Tuned impact mechanism -

delivers 550 ft-lb nut-busting torque and 365 ft-lb of MAX torque from a tool that measures just 6.5" from tip to tail and weighs only 5.1 lb

Shadowless 360 degree LED light ring

with task light mode and 4 dimmable settings

All-metal drivetrain and

hammer mechanism is robust, durable and optimized for maximum power and efficiency

Variable-speed switch with electronic brake

provides maximum control of the tool and increases safety—release trigger, drive stops spinning

Tough composite housing and patented — **steel-reinforced frame** protects against aggressive fluids, chemicals and repeated drops

Ideal for:







Heavy equipment repair



General

Powerful brushless motor delivers durability and efficiency as well as best-in-class power-to-weight ratio

IQv Power Control System includes 4 modes —full power, mid power, wrench tight, and hand tight so there is no need to switch tools





IQ ^{V20} Serie	s™ Impact Wrench								
Model	Battery	Voltage DC	Drive Size, Type	Impacts per Minute	No-Load Speed rpm	Nut-Busting Torque ft-Ib (Nm)	MAX Torque ft-lb (Nm)	Tool & Weight Ib (kg)	Battery Length in (mm)
W5132	BL2010/BL2022	20	3/8", Square Hog Ring	3,300	0-2,100	550 (745)	365 (495)	5.1 (2.3)	6.5 (166)
W5132	BL2012	20	3/8", Square Hog Ring	3,100	0-2,100	400 (540)	295 (400)	4.5 (2.0)	6.5 (166)
W5152	BL2010/BL2022	20	1/2", Square Hog Ring	3,300	0-2,100	550 (745)	365 (495)	5.2 (2.3)	6.7 (170)
W5152	BL2012	20	1/2", Square Hog Ring	3,100	0-2,100	400 (540)	295 (400)	4.5 (2.1)	6.7 (170)



Item No.	Kit Details
W5132-K12	3/8" Impact Wrench, Charger, 1 BL2022 Li-ion Battery & Bag
W5132-K22	3/8" Impact Wrench, Charger, 1 BL2012 Li-ion Battery, 1 BL2022 Li-ion Battery & Bag
W5152-K12	1/2" Impact Wrench, Charger ,1 BL2022 Li-ion Battery & Bag
W5152-K22	1/2" Impact Wrench, Charger, 1 BL2012 Li-ion Battery, 1 BL2022 Li-ion Battery & Bag

IQ^{V20} *Series*[™] High-Torque Impact Wrench

W7150 1/2", W7150P 1/2" & W7250 1/2"

Tuned impact mechanism

delivers more torque, is more durable and more efficient; 780 ft-lb max torque and 1,100 ft-lb nut-busting torque equals the output of our 2135TiMAX air impact wrench—all from a 6.8-lb tool/battery combo

Durable, steel-lined — aluminum hammer case

is designed to be strong and lightweight, while protecting interior components

All-metal drivetrain and hammer mechanism is robust, durable and optimized for maximum power and efficiency

Variable-speed switch provides maximum control of the tool

Ideal for:



automotive repair



Heavy equipment repair



General

High-power rare earth magnet (neodymium) motor offers a long life and high power

Patent-pending soft touch over-molded grip minimizes vibration, reduces fatigue and enhances user comfort during extended use

Tough composite housing and patented steel-reinforced frame protects against fluids, chemicals and repeated drops

*Requires 3.0 Ah battery or higher

IQ ^{V20} Serie	s™ Impact Wrench								
Model	Battery	Voltage DC	Drive Size, Type	Impacts per Minute	No-Load Speed rpm	Nut-Busting Torque ft-Ib (Nm)	MAX Torque ft-lb (Nm)	Tool & Weight Ib (kg)	Battery Length in (mm)
W7150	BL2010/BL2022	20	1/2", Hog Ring	2,300	0-1,900	1,100 (1,491)	780 (1,057)	6.8 (3.1)	9.4 (238)
W7150P	BL2010/BL2022	20	1/2", Pin Detent	2,300	0-1,900	1,100 (1,491)	780 (1,057)	6.9 (3.1)	9.4 (238)
W7250	BL2010/BL2022	20	1/2", 2" Extended Hog Ring	2,300	0-1,900	1,100 (1,491)	780 (1,057)	6.9 (3.1)	11.2 (285)



Model	Description
W7150-K1	1/2" Impact Wrench, Charger, 1 BL2010 Li-ion Battery & Case
W7150-K2	1/2" Impact Wrench, Charger, 2 BL2010 Li-ion Batteries & Case
W7150-K12	1/2" Impact Wrench, Charger, 1 BL2022 Li-ion Battery & Case
W7150-K22	1/2" Impact Wrench, Charger, 2 BL2022 Li-ion Batteries & Case
W7150P-K12	1/2" Pin Impact Wrench, Charger, 1 BL2022 Li-ion Battery & Case
W7150P-K22	1/2" Pin Impact Wrench, Charger, 2 BL2022 Li-ion Batteries & Case
W7250-K1	1/2" Impact Wrench, Charger, 1 BL2010 Li-ion Battery & Case
W7250-K2	1/2" Impact Wrench, Charger, 2 BL2010 Li-ion Batteries & Case

IQ^{V20} Series[™] Right Angle Impact Wrench

W5330 3/8" & W5350 1/2"



IQ ^{v20} <i>Series</i> ™ Right Angle Impact Wrench							
							Battery
Model	Battery	Voltage DC	Drive Size, Type	No-Load Speed rpm	MAX Torque ft-lb (Nm)	Weight lb (kg)	Length in (mm)
W5330	BL2012	20	3/8", Hog Ring	0-1,900	180 (245)	4.55 (2.06)	17.25 (439)
W5330	BL2010/BL2022	20	3/8", Hog Ring	0-1,900	190 (258)	5.15 (2.27)	17.25 (439)
W5350	BL2012	20	1/2", Hog Ring	0-1,900	180 (245)	4.55 (2.06)	17.25 (439)
W5350	BL2010/BL2022	20	1/2", Hog Ring	0-1,900	190 (258)	5.15 (2.27)	17.25 (439)



Model	Description
W5330-K12	3/8" Impact Wrench, Charger, 1 BL2012 Li-ion Battery & Case
W5330-K22	3/8" Impact Wrench, Charger, 2 BL2012 Li-ion Batteries & Case
W5350-K12	1/2" Impact Wrench, Charger, 1 BL2012 Li-ion Battery & Case
W5350-K22	1/2" Impact Wrench, Charger, 2 BL2012 Li-ion Batteries & Case

IQ^{V20} Series[™] Mid-Torque Impact Wrench


W5110 1/4", W5130 3/8" & W5150 1/2"

Tuned impact mechanism

delivers 190 ft-lb of torque from a lightweight, balanced, compact tool that measures just 6.6" long from tip to tail

Durable, steel-lined aluminum hammer case is designed to be strong and lightweight, while protecting interior components for a long lifetime of durability

Variable-speed switch with electronic brake provides maximum control of the tool and increases safety—release trigger, drive stops spinning



Tough composite housing and patented steel-reinforced frame protects against fluids, chemicals and repeated drops

Lightweight, balanced, ergonomic handle with patent-pending rubber over-molded grip minimizes vibration, reduces fatigue and enhances user comfort during extended use

Ideal for:







Facilities



General

IQ^{V20} Series[™] Impact Wrench No-Load Speed Voltage DC MAX Torque Impacts per Weight lb (kg) Battery W5110 BL2012 2,900 3.6 (1.6) 20 1/4", Hex 0-1,700165 (225) 6.6 (168) W5110 BL2010/BL2022 20 1/4", Hex 2.900 0-1.700 175 (240) 4.1 (1.9) 6.6 (168) W5130 BI 2012 20 3/8", Hog Ring 2.900 0 - 1,700180 (245) 3.6 (1.6) 6.6 (162) W5130 BL2010/BL2022 20 3/8", Hog Ring 2,900 0-1,700 190 (260) 4.1 (1.9) 6.6 (162) W5150 BL2012 2,900 0-1,700 20 1/2", Hog Ring 180 (245) 3.6 (1.6) 6.6 (162) W5150 BL2010/BL2022 1/2" ,Hog Ring 0-1,700 190 (260) 2,900 4.1 (1.9) 6.6 (162)



W5130-K22

Model	Description
W5110-K12	1/4" Hex Impact Wrench, Charger, 1 BL2012 Li-ion Battery & Case
W5110-K22	1/4" Hex Impact Wrench, Charger, 2 BL2012 Li-ion Batteries & Case
W5130-K12	3/8" Impact Wrench, Charger, 1 BL2012 Li-ion Battery & Case
W5130-K22	3/8" Impact Wrench, Charger, 2 BL2012 Li-ion Batteries & Case
W5150-K12	1/2" Impact Wrench, Charger, 1 BL2012 Li-ion Battery & Case
W5150-K22	1/2" Impact Wrench, Charger, 2 BL2012 Li-ion Batteries & Case

IQ^{V20} *Series*[™] High Cycle Impact Wrench

W5111 1/4", W5131P 3/8" & W5151P 1/2"

Tuned impact mechanism delivers 175 ft-lb of maximum torque, ready to perform job after job

1/4" Hex, 3/8" and 1/2" Pins for maximum versatility and secure and accurate rundowns

Durable, steel-lined aluminum hammer case is designed to protect internal components, while patented metal reinforced housing withstands repeated drops

Fast application speeds help meet plant throughput goals

Compact design makes operation and access easier in tight spots

Ideal for:



Production assembly



IQ ^{v20} <i>Series</i> ™ Impact Wrench									
Model	Battery	Voltage DC	Drive Size, Type	Impacts per Minute	No-Load Speed rpm	MAX Torque ft-lb (Nm)	Tool & Weight Ib (kg)	Battery Length in (mm)	
W5111	BL2012	20	1/4", Hex	2,800	0-1,900	160 (215)	3.5 (1.6)	6.0 (152)	
W5111	BL2010/BL2022	20	1/4", Hex	2,800	0-1,900	175 (240)	4.2 (1.9)	6.0 (152)	
W5131P	BL2012	20	3/8", Pin Detent	2,800	0-1,900	160 (215)	3.5 (1.6)	5.9 (150)	
W5131P	BL2010/BL2022	20	3/8", Pin Detent	2,800	0-1,900	175 (240)	4.2 (1.9)	5.9 (150)	
W5151P	BL2012	20	1/2", Pin Detent	2,800	0-1,900	160 (215)	3.5 (1.6)	6.1 (154)	
W5151P	BL2010/BL2022	20	1/2", Pin Detent	2,800	0-1,900	175 (240)	4.2 (1.9)	6.1 (154)	



W5111-K12

Model	Description
W5111-K12	1/4" Hex Impact Wrench, Charger, 1 BL2012 Li-ion Battery & Case
W5111-K22	1/4" Hex Impact Wrench, Charger, 2 BL2012 Li-ion Batteries & Case
W5131P-K12	3/8" Pin Impact Wrench, Charger, 1 BL2012 Li-ion Battery & Case
W5131P-K22	3/8" Pin Impact Wrench, Charger, 2 BL2012 Li-ion Batteries & Case
W5151P-K12	1/2" Pin Impact Wrench, Charger, 1 BL2012 Li-ion Battery & Case
W5151P-K22	1/2" Pin Impact Wrench, Charger, 2 BL2012 Li-ion Batteries & Case

IQ^{V20} Series[™] Ratchet Wrench

R3130 3/8" & R3150 1/2"



IQ ^{V20} Series™ Ratchet Wrench							
Model	Battery	Voltage DC	Drive Size, Type	No-Load Speed rpm	MAX Torque ft-lb (Nm)	Tool & Weight lb (kg)	Battery Length in (mm)
R3130	BL2012	20	3/8", Square	0-225	54 (73)	4.4 (2.0)	17.5 (445)
R3130	BL2010/BL2022	20	3/8", Square	0-225	54 (73)	5.0 (2.3)	17.5 (445)
R3150	BL2012	20	1/2", Square	0-225	54 (73)	4.4 (2.0)	17.5 (445)
R3150	BL2010/BL2022	20	1/2", Square	0-225	54 (73)	5.0 (2.3)	17.5 (445)



Model	Description
R3130-K12	3/8" Ratchet, Charger, 1 BL2012 Li-ion Battery & Case
R3130-K22	3/8" Ratchet, Charger, 2 BL2012 Li-ion Batteries & Case
R3150-K12	1/2" Ratchet, Charger, 1 BL2012 Li-ion Battery & Case
R3150-K22	1/2" Ratchet, Charger, 2 BL2012 Li-ion Batteries & Case

IQ^{V20} *Series*[™] **Drill/Driver**

D5140 1/2"









*Requires 3.0 Ah battery or higher.

IQ ^{V20} Series [™] Drill/Driver									
				No-Load	Speed rpm		Tool &	Battery	
Model	Battery	Voltage DC	Drive Size, Type	High	Low	MAX Stall Torque in-lbs (Nm)	Weight lb (kg)	Length in (mm)	
D5140	BL2010/BL2022	20	1/2", Chuck	0-500	0-1,900	700 (80)	5.4 (2.45)	9.25 (235)	



Model	Description
D5140-K1	1/2" Drill/Driver, Charger, 1 BL2010 Li-ion Battery & Case
D5140-K2	1/2" Drill/Driver, Charger, 2 BL2010 Li-ion Batteries & Case

IQ^{V20} *Series*[™] Grease Gun

LUB5130

High operating pressure and flow rate powers through clogged fittings, quickly delivering grease and reducing job time

Extended durability with a high-power, long-life motor and all-metal drivetrain Easy 3-way load system

> for maximum versatility with cartridge, bulk and manual loading

Electronic shutdown and high-pressure LED **indicator** prevents grease spills and extends motor life

Ideal for:







Standard 30" hose improves reach, helps operators access tight spots

IQ ^{v20} Series [™] Grease Gun									
Model	Battery	Voltage DC	Pressure PSI (Bar)	Flow Rate oz./min. (g/min.)	Cannister Capacity oz. (g)	Grease Type NLGI	Grease Hose Length in (mm)	Tool Weight Ib (kg)	& Battery Size: LxWxH in (mm)
LUB5130	BL2012	20	6250 (431)	2.6 (75)	14 (400)	2-4	30 (762)	7.2 (3.3)	19x8x4 (490x200x94)
LUB5130	BL2022	20	6250 (431)	2.6 (75)	14 (400)	2-4	30 (762)	7.7 (3.5)	19x8x4 (490x200x94)



Available in Kits

Model	Description
LUB5130-K12	20V Grease Gun, Charger, 1 BL2012 Li-ion Battery & Case

IQ^{V20} Series[™] LED Task Light

15110

Patented aluminum head dissipates heat and is lightweight, yet heavy-duty

Ultra-bright white LED casts 180 lumens and lasts up to 20,000 hours

Multi-position head and standing base allow for lighting from above or below

Ideal for:







Facilities maintenance

IQ^{V20} Series[™] intelligent battery management **system** provides up to 15 hours from a 3.0 Ah battery and up to 8 hours on a 2.5 Ah battery on a single charge

IQ ^{V20} Series [™] LED Task Light								
				Tool & Battery				
Model	Battery	Voltage DC	Light Output Lumens	Head Positions	Runtime Hours	Weight lb (kg)	Size LxH in (mm)	
L5110	BL2012	20	180	6	13.5	1.81 (.82)	3.4x9.5 (8.6x12.1)	
L5110	BL2010	20	180	6	15	2.4 (1.08)	3.4x9.5 (8.6x12.1)	
L5110	BL2022	20	180	6	25	2.4 (1.08)	3.4x9.5 (8.6x12.1)	





Ingersoll Rand (NYSE:IR) advances the quality of life by creating comfortable, sustainable and efficient environments. Our people and our family of brands—including Club Car®, Ingersoll Rand®, Thermo King® and Trane®—work together to enhance the quality and comfort of air in homes and buildings; transport and protect food and perishables; and increase industrial productivity and efficiency. We are a \$13 billion global business committed to a world of sustainable progress and enduring results.









www.ingersollrandproducts.com

Ingersoll Rand, IR, the IR logo, Impact Wrench and IQ¹²⁰ Series are trademarks of Ingersoll Rand, its subsidiaries and/or affiliates. All other trademarks are the property of their respective owners.

Nothing contained on these pages is intended to extend any warranty or representation, expressed or implied, regarding the product described herein. Any such warranties or other terms and conditions of sale of products shall be in accordance with Ingersoll Rand's standard terms and conditions of sale for such products, which are available upon request.

Product improvement is a continuing goal at Ingersoll Rand. Any designs, diagrams, pictures, photographs and specifications contained within this document are for representative purposes only and may include optional scope and/or functionality and are subject to change without notice or obligation.